

DELHI URBAN SHELTER IMPROVEMENT BOARD  
GOVERNMENT OF NCT OF DELHI  
OFFICE OF THE EXECUTIVE ENGINEER/C-2

3<sup>rd</sup> floor, Circle Office Bldg.  
,Road No.28, Shivaji Place,  
Raja Garden, New Delhi-110027

No. NIQ No.02 /EE-C2/DUSIB/2018-19/D-953

Dated: 15.05.2018

**NOTICE INVITING QUOTATIONS**


Executive Engineer/C-2 on behalf of DUSIB invites quotations on item rate basis in sealed cover from intending agencies who are registered with DDA,CPWD,BSNL,I&FC,MCD,MES etc. for the work as given below:-

S.N.	Name of work	Estimated Cost (Rs)	Time Allowed for completion of work
1	DUSIB Estate Management Fund Sub-Head :- Supply of Aluminium folding ladder 42" feet High (Heavy Duty ) with moving platform for maintenance of flats at Baprola Phase-II	1,52,000.00	20 Days.

The quotations should reach to the Office of the Executive Engineer,C-2,DUSIB, 3<sup>rd</sup> floor, Circle Office Bldg., Road No.28, Shivaji Place, Raja Garden, New Delhi-110027 latest by 3.00 PM on 18.05.2018 which shall be opened on the same day at 3:30PM in the presence of intending quotationers or their representatives. The intending quotationers may collect the schedule of quantity and other information from the office of the undersigned by 3:00 PM from 15.05.2018. The terms and conditions of the NIQ are as follows:-

Terms and Conditions Attached.

Detail of item attached

  
15/5/18  
EXECUTIVE ENGINEER-C-2  
DUSIB

N.O.W.:- DUSIB Estate Management Fund,

SH:- Supply of Aluminum folding ladder (<sup>42</sup>~~42~~ ft. height) heavy duty with moving platform for maintenance of EWS flats at Baprola Ph-II

ITEM:-

42 ft. non tiltable ladder (during work) made out of aluminum 'C' section of size 66.68 mm x 31.75 mm x 3.19 mm thick with steps of 25.44 mm dia fleuted aluminum pipe at a distance of 300 mm apart with set of 8 mm Usa martain double steel wire rope, M.S. pulleys and winch system for extended and closing the ladder at required height fabricated on M.S. Channel frame of size 100mm x 50mm mounted on special type castor wheels (Two revolving and two fixed) of size 12"x3" with ball bearings.

Workman extended platform is provided 3ft below from top of size 24"x36" and tool tray of 24"x8" on the top. The platform is guarded from three sides for safe working. A heavy handle is provided on front side of ladder for easy moving. Further ladder may be provided with mechanical system to till the complete ladder on rest and again lift the same for working having additional winch set completed with required M.S. pulley and steel wire rope to enable to reduce extra man power to handle the ladder. Two gear box two ton each brakes are provided on the 2 nos. fixed wheels and 4 nos. adjustable jacks at four ends of M.S. frame and M.S. Channel base covered with M.S. Sheet and Trolly Base size 8 ft. x 5 ft., Tilttable (at rest) ladder with platform height 1.90 mt. (with platform) working height 42 ft.

  
28/2/18  
EE/C-2

  
28/2/18  
AE-III


SPECIAL CONDITIONS FOR NIQ

Name of work: , DUSIB Estate Management Fund

Sub.Head: Supply of Aluminium folding Ladder 42' feet High (Heavy Duty) with moving platform for maintenance of flats at Baprola Phase-II

- 1 Manufacturer guarantee for one year will be submitted for any malfunctioning/ defect of the stair to be supplied.
- 2 At the time of supply, demo will be given at site to the labour as well as to the JE & AE concerned.
- 3 10% security will be deducted from the bill.
- 4 Contractor must have registered for GST.
- 5 Contractor will submit PAN No.

  
EE.C-2

  
AE-III/C-2