

DELHI URBAN SHELTER IMPROVEMENT BOARD
GOVERNMENT OF N.C.T. OF DELHI
OFFICE OF THE EXECUTIVE ENGINEER, C-1,
Raja Garden, Near DTC Bus Terminal, New Delhi-110027

NIQ No. 03 /EEC-1/DUSIB/2021-22/D-413

Dated: 8/7/22

NOTICE INVITING QUOTATION

Executive Engineer, C-1 DUSIB on behalf of Delhi Urban Shelter Improvement Board invites quotations from intending agencies who are registered either with DDA, MCD, CPWD, BSNL(Civil Wing), I&F, MES, Railway, Delhi State eligible services provider registered on Registered of company / firms who are essentially registered on Delhi Govt. e-tendering portal etc. in appropriate class, on percentage rate basis in sealed cover for the following works:-

SL. NO	Name of work	Estimated Cost	Time of Completion
1.	N.O.W: Pay and Use JSC SH: Urgent and special repair of JSC at Gali No. 7 Mahavir enclave Dwarka(AC-33)	Rs. 93162.00	15 days

The firms who wish to participate in quotation shall submit their quotation along with the following documents, failing which their quotation is liable to be rejected.

1. Copy of their registration certificate.
2. Copy of pan card.
3. Copy of Registration under GST.

The quotations should reach to the office of the Executive Engineer, C-1, DUSIB, Raja Garden, New Delhi-110027 latest by 2.00 PM on 11/07/2022 which shall be opened on same day at 2.30 PM in the presence of intending quotationers or their representatives.

The intending quotationers may collect the schedule of quantities and other information from the website /office of the Executive Engineer, C-1, DUSIB. The terms & Conditions of the quotation are as follows:-

1. The work shall be carried out as per CPWD specifications.
2. Payment shall be made as per actual measurement at site of work.
3. No T&P shall be issued., water is to be arranged by agency.
4. Conditional quotations shall be liable to rejection.
5. For any disputes the matter shall be referred to SE-I DUSIB for final decision and the same shall be binding upon both the parties.
6. Statutory recoveries shall be deducted from the bills of contractor as per rules.
7. Work shall be completed to the satisfaction of Engineer-in-charge.
8. Debarred/blacklisted agencies shall not be permitted to submit quotations.

NOTICE BOARD
DUSIB Website


08/07/22
EXECUTIVE ENGINEER, C-1
ash
RHS.

DELHI URBAN SHELTER IMPROVEMENT BOARD
OFFICE OF THE EXECUTIVE ENGINEER C-I

Name of Work : Pay and Use JSC

SubHead: Urgent and special repair of JSC at Gali No 7 Mahavir Enclave
Dwarka (AC-33)

Bill of Quantities

S. No	DSR Ref.	Item	Qty	Unit	Rate (Rs.)	Rate in words (Rs.)	Amount (Rs.)
1	4.1.3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand(zone-III) : 4 graded stone aggregate 20 mm nominal size)	1.00	Cum	5481.95	One Cubic Metre	5481.95
2	9.62.2	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete: : 250 x 16 mm	10.00	each	142.05	Rs One Hundred FourtyTwo Paise Five Only	1420.50
3	9.63.2	Providing and fixing ISI marked oxidised M.S. Tower bolt black finish (barrel type) with necessary screws etc. complete: : 200 x 10 mm	6.00	each	51.05	Rs FiftyOne Paise Five Only	306.30
4	9.63.4	Providing and fixing ISI marked oxidised M.S. Tower bolt black finish (barrel type) with necessary screws etc. complete: : 100 x 10 mm	20.00	each	31.40	Rs ThirtyOne Paise Fourty Only	628.00
5	9.66.1	Providing and fixing ISI marked oxidised M.S. handles conforming to IS: 4992 with necessary screws etc. complete: :125 mm	5.00	each	28.60	Rs TwentyEight Paise Sixty Only	143.00
6	9.66.3	Providing and fixing ISI marked oxidised M.S. handles conforming to IS: 4992 with necessary screws etc. complete: 75 mm	20.00	each	19.15	Rs Nineteen Paise Fifteen Only	383.00
7	10.25.2	Steel work welded in built up sections / framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.: In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	50.00	kg	85.95	Rs EightyFive Paise NinetyFive Only	4297.50

8	11.20.4	Chequered precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand).	1.00	Sqm	661.35	Rs Six Hundred SixtyOne Paise ThirtyFive Only	661.35
9	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of 1:4 (1 cement : 4 coarse sand): 25 mm thick	1.00	sqm	1158.10	Rs One Thousand One Hundred FiftyEight Paise Ten Only	1158.10
10	11.27	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	1.00	Sqm	1238.20	Rs One Thousand Two Hundred ThirtyEight Paise Twenty Only	1238.20
11	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except begundy, bottle green, black of any size as approved by Engineer - in - Charge in skirting, risers of steps and dados over 12 mm thick bed of Cement Mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete	5.00	sqm	744.80	Rs Seven Hundred FourtyFour Paise Eighty Only	3724.00
	11.37	Providing and laying Ceramic glazed floor tiles of size 300x300 mm(thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including pointing the joints with white cement and matching pigment etc.,, complete.	5.00	Sqm	688.35	Rs Six Hundred EightyEight Paise ThirtyFive Only	3442.00

13	12.41.2	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.110 mm diameter	20.00	rmt.	236.35	Rs Two Hundred ThirtySix Paise ThirtyFive Only	4727.00
14	12.42.1.2	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS :5382 leaving 10 mm gap for thermal expansion. Coupler	4.00	No.	102.65	Rs One Hundred Two Paise SixtyFive Only	410.60
15	12.42.5.2	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS :5382 leaving 10 mm gap for thermal expansi110 mm bend	4.00	No.	113.10	Rs One Hundred Thirteen Paise Ten Only	452.40
16	12.43.2	Providing and fixing unplasticised-PVC pipe clips of approved design to unplasticised-PVC rain water pipes by means of 50x50x50mm hard wood plugs, screwed with M.S screws of required length including cutting brick work and fixing in cement mortar 1:4 (1cement : 4 coarse sand) and making good the walls etc. complete : 110 mm	8.00	each	181.40	Rs One Hundred EightyOne Paise Fourty Only	1451.20
17	13.41.1	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over including priming coat with cement primer	10.00	sqm	93.70	Rs NinetyThree Paise Seventy Only	937.00
18	13.61.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work.	10.00	Sqm	78.40	Rs SeventyEight Paise Fourty Only	784.00

9	14.1.1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground , all complete as per directions of Engineer-In-Charge. With cement mortar 1:4 (1 cement : 4 fine sand).	20.00	Sqm	264.80	Rs Two Hundred SixtyFour Paise Eighty Only	5296.00
0	14.45.1	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats)	182.38	sqm	33.35	Rs ThirtyThree Paise ThirtyFive Only	6082.37
1	14.46	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	182.38	sqm	10.80	Rs Ten Paise Eighty Only	1969.70
2	14.54.1	Painting with synthetic enamel paint of approved brand and manufacture of required shade to give an even shade : One or more coats on old work	20.00	sqm	51.30	Rs FiftyOne Paise Thirty Only	1026.00
3	14.64.1	Finishing walls with water proofing cement paint of required shade : Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 liters/10 sqm complete including cost of Priming coat.	91.19	Sqm	55.70	One Square Metre	5079.28
4	15.60	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial 'lead, for all leads including all lifts involved.	5.00	cum	120.55	Rs One Hundred Twenty Paise FiftyFive Only	602.75

5	17.1.1	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required	1.00	No.	3494.20	Rs Three Thousand Four Hundred NinetyFour Paise Twenty Only	3494.20
6	17.2.1	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :	1.00	each	3418.70	Rs Three Thousand Four Hundred Eighteen Paise Seventy Only	3418.70
7	17.28.2.1	Providing and fixing P.V.C waste pipe for sink or wash basin including P.V.C waste fittings complete : Flexible pipe : 32 mm dia	4.00	each	73.25	Rs SeventyThree Paise TwentyFive Only	293.00
3	18.7.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. : Internal work - Exposed on wall 25 mm nominal outer dia. Pipes.	5.00	metre	216.20	Rs Two Hundred Sixteen Paise Twenty Only	1081.00
9	18.7.4	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. : Internal work - Exposed 32 mm nominal outer dia. Pipes.	5.00	metre	289.05	Rs Two Hundred EightyNine Paise Five Only	1445.25

0	18.18.3	Providing and fixing ball valve (brass) of approved quality complete High or low pressure with plastic floats : 25mm nominal bore	2.00	each	331.95	Rs Three Hundred ThirtyOne Paise NinetyFive Only	663.90
1	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	2000.00	per litre	7.25	Rs Seven Paise TwentyFive Only	14500.00
2	18.54.1	Providing and fixing P.T.M.T bib cock of approved quality colour and make : 15 mm nominal size, 86 mm long weighing not less than 88 gms.	25.00	each	103.30	Rs One Hundred Three Paise Thirty Only	2582.50
33	18.55.1	Providing and fixing P.T.M.T stop cock of approved quality colour and make : 15 mm nominal size 86 mm long weighing not less than 88 gms.	25.00	each	103.30	Rs One Hundred Three Paise Thirty Only	2582.50
							76281.30

ADD 34.95% due to Cost Index as circular of GNCTD

LESS 9.5%

Add Contingencies 1%

Add Labour Cess 1%

26660.31

102941.61

-9779.45

93162.16

931.62

931.62

95025.40


95000.00

EE

AE

JE

T.S. checked for Rs 95,000/-


28/6/22
AE(P)


28/6/22
JE(P)

T.S. sanction for amounting to Rs 95,000 =

EE/C-2